

FIG. 1





FIG. 2



008760" E8E49960




FIG. 3*FIG. 4*

FIG. 5



00654383 091800

FIG. 6

JOB

OPTION (O)


HELP (H)

PRINTER STATUS

IN-SPOOLER JOB

IN-DEVICE JOB


PORT



DOCUMENT : WWWWWWWWWWWWWWWWWWWWWWWWWWWWWWWWWWWWW
OWNER : WWWWWWWWWWWWWWWWWWWWWWWWWWWWWWWWWWWWW
SIZE : WWWWW KB

DOCUMENT	STATUS	OWNER	SIZE
▷ SUM 1.x0s	PRINTING	THIRO	32
○ SUM 1.x0s	WAITING	THIRO	32
○ SUM 1.x0s	WAITING	THIRO	32

FIG. 7



DOCUMENT : SUM 3.x0s

ENDED : 1999/10/18

RESULT : INTERRUPT PRINT FAILED

USER : YAMA

PRINTER : LPPP

PORT : LP1

FIG. 8




FIG. 9




FIG. 10

PROPERTY OF PRINTER

?

×

MAIN

PAPER

LAYOUT

DEVICE OPTION

OVERLAY

EJECT

PAGE COMPOSER

JOB MODE:

☒

PRINT (R)

☐

INTERRUPT PRINT (I)

☐

BIN SORTER (L)

NO REGISTRATION

PAPER EJECTION (F):

DELIVER TO (O):

EJECTION TRAY

☐

PRINT COPY BY COPY USING HD (M)

RETURN TO DEFAULT (D)

OK

CANCEL

ADAPT (A)

HELP

FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16

POINTER
1601

JOB ID	SUSPENSION FLAG
1	F
2	F
3	F
4	F

16-1

POINTER,
1601

JOB 5
ADDED

JOB ID	SUSPENSION FLAG
1	F
2	F
3	F
4	F
5	F

16-2

POINTER
1601

JOB ID	SUSPENSION FLAG
2	F
3	F
4	F
5	F

JOB 1 PRINTED
OR CANCELLED

16-3

FIG. 17





FIG. 18

008760" 0874950

FIG. 19

MEMORY MAP OF MEM MEDIUM
(FD, CD-ROM ETC.)

DIRECTORY
PROGRAM CODES FOR FLOWCHART OF FIG. 3
PROGRAM CODES FOR FLOWCHART OF FIG. 4
PROGRAM CODES FOR FLOWCHART OF FIG. 5
PROGRAM CODES FOR FLOWCHART OF FIGS. 12 AND 13
PROGRAM CODES FOR FLOWCHART OF FIG. 14
PROGRAM CODES FOR FLOWCHART OF FIG. 17

008160 EBE49960